

Onyx

The thin vibrant veins of Onyx brighten any space and decorate the surfaces with the energy of stone. The natural elegance of this mineral is suitable for any type of coating. Its characteristic colours clad environments and bring out its best qualities.







Onyx

Onyx White




60x60 cm Vitrified - Polished rect.
 ∇ 8,25 mm

Onyx Beige



60x60 cm Vitrified - Polished rect.
 ∇ 8,25 mm

Onyx Grey



60x60 cm Vitrified - Polished rect.
 ∇ 8,25 mm

Onyx White




60x60 cm Vitrified - Satin rect.
 ∇ 8,25 mm

Onyx Beige



60x60 cm Vitrified - Satin rect.
 ∇ 8,25 mm


Onyx Grey



60x60 cm Vitrified - Satin rect.
 ∇ 8,25 mm




60x120 cm Vitrified - Polished rect.
 ∇ 9,5 mm




60x120 cm Vitrified - Polished rect.
 ∇ 9,5 mm



60x120 cm Vitrified - Polished rect.
 ∇ 9,5 mm



60x120 cm Vitrified - Satin rect.
 ∇ 9,5 mm



60x120 cm Vitrified - Satin rect.
 ∇ 9,5 mm



60x120 cm Vitrified - Satin rect.
 ∇ 9,5 mm

SHADE
VARIATION



V3

WATER
ABSORPTION



≤ 0,5 %

BREAKING
STRENGTH (S)
ISO 10545-4



≥ 1300 N

CHEMICAL
RESISTANCE
ISO 10545-13



GLA
GHA
(Resistant)

FROST
RESISTANCE
ISO 10545-12



Resistant

STAIN
RESISTANCE
ISO 10545-14



Class 5
(Resistant)